


Drill powered brushing shaft Mini / Flexible / Wire



40-630mm

Pressovac shafts are complementary brushing tools recommended for cleaning short air ducts between 40mm and 630mm in diameter. Available in multiple lengths and levels of flexibility, these simple tools are powered by a drill or E-Box.



Mini shaft
V-brush Ø40-125mm

- Can be used in areas without electricity
- Suitable to use in very confined spaces
- Simple and low cost tool
- Ultra light and easy to carry

Flexible and Wire shaft
E-brush Ø100-400mm
S-brush Ø500-630mm
(only with Wire shaft)


Technical Specifications	Mini Shaft	Flexible Shaft	Wire Shaft
Duct operating range	40-125mm	100-400mm	100-630mm
Shaft length available	3, 6 or 9m	3, 5, 8 or 12m	3, 5, 8 or 12m
Shaft core type	ultra flexible	flexible	wire
Brush rotation direction	left/right	left/right	left/right
Capacity to pass multiple bends	yes	yes	no
Compatible brush type*	V-brush	E-brush	E- and S-brush
Compatible power source**	E-Box or drill	E-Box or drill	E-Box or drill

* sold separately

** If the shaft is powered by a drill, two persons are required.

Recommended accessories:

- E-Box
- Brushes
- Vacuum discs
- Carrying bag



Vacuum-filter machine SFU-50

4500 m³/h

SFU-50 is a powerful compact vacuuming device with integrated filtering system and adjustable airflow. It is ideal for cleaning medium to large ventilation duct systems in buildings where only one phase power supply is available. It is appropriate for ducts up to 630mm in diameter.



- High airflow and pressure
- Long-lasting, powerful EC motor
- Only 1 phase power supply required
- Works in vertical and horizontal position
- G3 pre-filters, F7, H13 HEPA and Activated carbon filters available
- Filters are easy to replace
- Compact, easy to manoeuvre and transport




Control panel



On/Off switch

Adjustable airflow



Technical Specifications	SFU-50
Maximum airflow	4 500m ³ /h
Maximum pressure	1100Pa
Motor type	EC motor
Power supply	1 phase, 200-277V, 50-60Hz, 10A
Dimensions (LxHxW)	127x88x63cm
Frame structure	aluminum
Weight	48kg
Adjustable airflow	10-100%
Power outlet	integrated
Inlet and outlet hose connection	Ø315mm
Filter monitor	included
G3 pre-filter	optional
F7 compact filter	optional
H13 HEPA filter	optional
Activated carbon filter	optional

Recommended accessories:

(see Accessories on p. 27)

- Air transfer hoses
- Air exhaust hoses
- Barrage plugs

